ILE 'MEDL	INI	' ENTERED AT	09:	26:30	ON	24	FEB	2003
8543	S	HIV ANTIBOD?						
753494	S	DETECT?						
1530	S	TEST (W) STRIP	? OR	DIPS	rici	K		
5	S	L1 AND L2 AND	) L3					
	8543 753494 1530	8543 S 753494 S 1530 S	8543 S HIV ANTIBOD? 753494 S DETECT? 1530 S TEST(W)STRIP?	8543 S HIV ANTIBOD? 753494 S DETECT?	8543 S HIV ANTIBOD? 753494 S DETECT? 1530 S TEST(W)STRIP? OR DIPS	8543 S HIV ANTIBOD? 753494 S DETECT? 1530 S TEST(W)STRIP? OR DIPSTICE	8543 S HIV ANTIBOD? 753494 S DETECT? 1530 S TEST(W)STRIP? OR DIPSTICK	753494 S DETECT? 1530 S TEST(W)STRIP? OR DIPSTICK

L Number	Hits	Search Text	DB	Time stamp
2	427	(HIV adj antibody or HIV adj antibodies) with detect\$3	USPAT;	2003/02/24 08:24
		US-PGPUB;		
			EPO; JPO;	
			DERWENT;	
		IBM TDB		
4	3045	dipstick	USPAT;	2003/02/24 08:29
30.13	apperen	US-PGPUB;	2000,02,2100.27	
		EPO; JPO;		
			DERWENT;	ļ
			IBM TDB	
_	1.1	((111)/ - 4:	_	2007/02/24 00 04
5	11	((HIV adj antibody or HIV adj antibodies) with detect\$3)	USPAT;	2003/02/24 08:26
		and ( dipstick )	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
6 10579	10579	dipstick or test adj strip	USPAT;	2003/02/24 08:30
		US-PGPUB;		
			EPO; JPO;	
İ			DERWENT;	
			IBM TDB	
7	33	((HIV adj antibody or HIV adj antibodies) with detect\$3)	USPAT;	2003/02/24 08:30
,   33	and ( dipstick or test adj strip )	US-PGPUB;	2003/02/2100.50	
	and ( dipstick of test adj strip )	EPO; JPO;		
i				
		DERWENT;		
			IBM_TDB	2007/00/04/00 74
8 2084	tetramethylbenzidine	USPAT;	2003/02/24 08:31	
			US-PGPUB;	
į			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
9 15	1596	urea adj peroxide	USPAT;	2003/02/24 08:31
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
10	33	tetramethylbenzidine and (urea adj peroxide)	USPAT;	2003/02/24 08:31
'	33	tetrametry benziame and (area ad) peroxide)	US-PGPUB;	2003/02/2100.31
			EPO; JPO;	
		DERWENT;		
.	•	//// 11 11 - 12 - 14 - 14 - 14 - 14 - 14 - 1	IBM_TDB	2007/02/04/00 71
11	11 1	(((HIV adj antibody or HIV adj antibodies) with detect\$3)	USPAT;	2003/02/24 08:31
		and (dipstick or test adj strip)) and (tetramethylbenzidine	US-PGPUB;	
j		and (urea adj peroxide))	EPO; JPO;	
[			DERWENT;	
			IBM_TDB	
12	2	((HIV adj antibody or HIV adj antibodies) with detect\$3)	USPAT;	2003/02/24 08:31
		and (tetramethylbenzidine and (urea adj peroxide))	US-PGPUB;	
			,	
}				
			EPO; JPO; DERWENT; IBM TDB	

L4 ANSWER 2 OF 5 MEDLINE

ACCESSION NUMBER: 97171032 MEDLINE

DOCUMENT NUMBER: 97171032 PubMed ID: 9018305

TITLE: An evaluation of dipstick-dot immunoassay in the

detection of antibodies to HIV-1 and 2 in Zimbabwe. Ray C S; Mason P R; Smith H; Rogers L; Tobaiwa O;

AUTHOR: Ray C S; Mason P R; Katzenstein D A

CORPORATE SOURCE: Zimbabwe AIDS Prevention Project, University of Zimbabwe,

Harare, Zimbabwe.

CONTRACT NUMBER: AI-33868-02 (NIAID)

SOURCE: TROPICAL MEDICINE AND INTERNATIONAL HEALTH, (1997 Jan) 2

(1) 83-8.

Journal code: 9610576. ISSN: 1360-2276.

PUB. COUNTRY: ENGLAND: United Kingdom

DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals; AIDS

ENTRY MONTH: 199702

ENTRY DATE: Entered STN: 19970306

Last Updated on STN: 19970306 Entered Medline: 19970227

There is a need, in many developing countries, for simple and inexpensive AΒ HIV serology tests for use at the district level of health care. The Programme for Appropriate Technology in Health has developed a simple dipstick ELISA to detect antibodies to HIV-1 and 2, at a cost considerably lower than current ELISAs, which requires no specialized washing or reading equipment. In order to evaluate this dipstick under local conditions we used a panel of 546 sera selected from frozen stocks maintained by the Zimbabwe AIDS Prevention Project in Harare, Zimbabwe. Prior to storage, the sera had been tested by Abbott recombinant peptide HIV-1 and 2 ELISA and Enzygnost synthetic peptide HIV-1 and 2 ELISA. The panel included sera that were positive by both (including symptomatics and asymptomatics), negative by both, and sera showing discrepant test results. The panel was not representative of a "normal' batch of sera in Zimbabwe, and in particular included an abnormally high number of sera showing discrepant results. Thawed sera were retested using the Abbott recombinant peptide HIV-1 and 2 ELISA and concurrently with the synthetic peptide ICL-Dipstick ELISA. Both the sensitivity and specificity of the ICL Dipstick exceeded 99% when using sera that were positive or negative in all 3 plate ELISAs as the gold standard. When using sera that gave discrepant results between the two pre-storage ELISAs, most results with the ICL Dipstick concurred with findings from other test systems, including Western blot and p24 antigen detection. Considering the accuracy, low cost and case of operation of the ICL Dipstick ELISA, this test can be recommended for use for the rapid detection of antibodies to HIV at district level in developing countries.